



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/049,847	03/27/1998	SYLVIE BAY	102.166A	6142

47888 7590 04/10/2006
HEDMAN & COSTIGAN P.C.
1185 AVENUE OF THE AMERICAS
NEW YORK, NY 10036

EXAMINER

WESSENDORF, TERESA D

ART UNIT PAPER NUMBER

1639

DATE MAILED: 04/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

10

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

In the response made on 12/30/2005 applicants state that the non-compliant under 37 CFR 1.121 is unclear as all of the claims contain a status identifier for each of the claims. However, the instruction "Cancel Claim 47 and add Claims 48 to 50" does not comply with the required status identifier under 37 CFR 1.121 or 1.4.

Applicant is given one month, or thirty (30) days of whichever is longer, from the mail date of this notice to supply the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121 or 1.4. If the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action.

T.D. Wessendorf
T. D. Wessendorf
Primary Examiner
Art Unit: 1639
3/24/06